

# LAFEME

A touch of innovation

# LAFEME



[www.lafeme.com.au](http://www.lafeme.com.au)

Leading with innovation, driven by superior designs, and enhancing lifestyles with smart products, Lafeme are designed with features that put you in control, like adjustable settings, gentle and precise cleansing, and hands-free operation, bringing elegance, comfort, and cleanliness to your everyday routine. With sleek designs and innovative technology, Lafeme products blend seamlessly into any space, adding a touch of sophistication that makes a real difference.



@lafemesmarttoilet



@Lafeme




@lafemesmarttoilet



@Lafeme

# LAFEME



[www.lafeme.com.au](http://www.lafeme.com.au)



Foot sensor

- a. Automatically the cover will open when the sensor indicates a human body.
- b. Use the foot sensor to open the seat.
- c. Commence use of the toilet.
- d. Use the foot sensor to flush and close the seat and cover.



## UV sterilization

Prevent cross-infection of bacteria by 360° elimination of harmful bacteria from the nozzle when not in use.



## Self-cleaning nozzle

The nozzle will automatically discharge water to clean itself before use to prevent the cross infection of bacterial.



## Ceramic pan sterilization

Lafeme smart toilet with ceramic UVC sterilization: 270-280nm UV rays ensure 99.99% sterilization in 120 minutes, safeguarding your family's health.

## Anti-backflow technology


The new smart toilets have Air-gap assessed and are compliant to AS 2845.2 - water supply backflow prevention.

Please note: local regulations may vary, so it's important to confirm with local authorities whether an rpz (Reduced pressure zone) valve is required.



Advanced technology, ultimate comfort, and healthier living.  
Experience the future of cleanliness with **LAFEME** smart toilet.







Autolux

Extra height rimless floor-standing smart toilet

ST23: Autolux

Size: 593\*395\*500mm

The rated power: 220-240v~ 50-60hz

Water pressure: 0.1- 0.75mpa


Wels 4 star rated, 4.5/3L

Trap type :

S trap: 95-115mm(included)

S trap: 70-90mm(sold seperately)

P trap: 180mm



Extra height

Options of flush plate colours included

- 

ST23-MW  
Matte white
- 

ST23-MB  
Matte black
- 

ST23-BN  
Brushed nickel
- 

ST23-BG  
Brushed gold
- 

ST23-GM  
Gun metal
- 

ST23-BZ  
Brushed bronze



Automatic opening and closing of cover



Seat opening and flush with foot sensor



Warm air drying



Heated seat



Ceramic pan sterilization



UV sterilization

|              |                            |                             |                                        |               |                                     |
|--------------|----------------------------|-----------------------------|----------------------------------------|---------------|-------------------------------------|
| Heated mode  | Instant heating            |                             | Seat temperature adjustment            |               | Anti-bacterial nozzle               |
|              | Rear wash                  |                             | Air temperature adjustment             |               | Anti-bacterial seat cover           |
| Cleaning     | Feminine wash              | Comfort<br>(Other function) | Water temperature adjustment           | Self-cleaning | Nozzle self-cleaning(auto-cleaning) |
|              | Massage cleaning           |                             | Automatic opening and closing of cover |               | Sterilization                       |
|              | Swing                      |                             | Dual users mode                        |               | Nozzle sterilization                |
|              | Water volume adjustment    |                             |                                        |               |                                     |
|              | Nozzle position adjustment |                             |                                        |               |                                     |
| Control mode | Remote control             | Ip rating                   | IPX4                                   | Flush mode    | Auto flush                          |
|              | Knob control               | Open&Close                  | Soft close                             |               | Manual flush                        |
|              | Foot sensor                |                             |                                        |               |                                     |

Concealed water pipes and wires

\* Functions please refer to page 31-32.

Rimless floor-standing smart toilet

ST21: Crawford

Size: 592\*400\*492mm

The rated power: 220v-240v~50hz

Maximum power: 1600w

Water pressure requirement: 0.07-0.75mpa

Wels 4 star rated, 4.5/3L


Waterproofing grade: IPX4

Trap type :

S trap: 95-115mm(included)

S trap: 70-90mm(sold seperately)

P trap: 180mm



Options of flush plate colours included



|               |                            |               |                                     |            |              |
|---------------|----------------------------|---------------|-------------------------------------|------------|--------------|
| Heated mode:  | Instant heating            |               | Nozzle self-cleaning(auto-cleaning) | Flush mode | Auto flush   |
|               | Rear wash                  | Self-cleaning | Anti-bacterial nozzle               |            | Manual flush |
|               | Bidet wash                 |               | Anti-bacterial seat cover           | Ip rating  | IPX4         |
|               | Pulse wash (massage water) |               | Heated seat                         | Open&Close | Soft close   |
|               | Swing wash                 |               | Warm air drying                     |            |              |
|               | Water pressure adjustment  | Comfort       | Led night light                     |            |              |
|               | Nozzle position adjustment |               | Sensor area                         |            |              |
| Control mode: | Remote control+push button |               | Deodorant                           |            |              |

\* Functions please refer to page 31-32.




Crawford



Rimless wall-mounted smart toilet

ST22: Sesto

Size: 592\*400\*424mm  
The rated power: 220v-240v~50hz  
Maximum power: 1600w  
Water pressure requirement: 0.07-0.75mpa  
Wels 4 star rated, 4.5/3L  
Waterproofing grade: IPX4  
Trap type :  
P trap: 200mm



Options of flush plate colours included

- 

ST22-MW  
Matte white
- 

ST22-MB  
Matte black
- 

ST22-BN  
Brushed nickel
- 

ST22-BG  
Brushed gold
- 

ST22-GM  
Gun metal
- 

ST22-BZ  
Brushed bronze



- 

Warm air drying
- 

Auto flush
- 

Heated seat
- 

Self cleaning nozzle
- 

Side Controls
- 

Soft closing seat

|              |                            |               |                                     |                                 |              |
|--------------|----------------------------|---------------|-------------------------------------|---------------------------------|--------------|
| Heated mode  | Instant heating            | Self-cleaning | Nozzle self-cleaning(auto-cleaning) | Flush mode                      | Auto flush   |
|              | Rear wash                  |               | Anti-bacterial nozzle               |                                 | Manual flush |
| Cleaning     | Bidet wash                 | Comfort       | Anti-bacterial seat cover           | Ip rating                       | IPX4         |
|              | Pulse wash (massage water) |               | Heated seat                         | Open&Close                      | Soft close   |
|              | Swing wash                 |               | Warm air drying                     | Concealed water pipes and wires |              |
|              | Water pressure adjustment  |               | Led night light                     |                                 |              |
|              | Nozzle position adjustment |               | Sensor area                         |                                 |              |
| Control mode | Remote control+push button |               | Deodorant                           |                                 |              |

\* Functions please refer to page 31-32.

A healthier and more comfortable lifestyle.

Upgrade your health and wellness with pure, immersive cleansing experiences. Break through traditional cleaning concepts for a healthier, cleaner, and more comfortable experience.



Catania standard-luna  
BS35S-TL6002



Thea standard-luna  
BS36S-TL6002



Thea standard-vega  
BS36L-TL6086A



BS35-S  
Catania standard



BS36-S  
Thea standard



BS36-L  
Thea luxury



Catania standard

Bidet seat only

Model: BS35-S

Size: 505\*375\*112mm

Material: pp

Rate frequency: 50hz

Voltage: 220-240v


Maximum power: 1050w

Water pressure requirement: 0,15-0,75mpa

Toilet water inlet position: bottom inlet



Toilet requirement:



Thea standard

Bidet seat only

Model:BS36-S

Ultra-thin cover design

Size: 505\*375\*93mm

Material: pp

Rate frequency: 50hz

Voltage: 220-240v


Maximum power: 1150w

Water pressure requirement: 0,15-0,75mpa


Toilet water inlet position: bottom inlet



Toilet requirement:



# Thea luxury-vega



Cover auto  
open/close



Washing mode



Heated seat



## Cover auto open/close

The cover automatically open when approached, this feature minimizes the need for manual contact and reduces bacteria exposure throughout the process.



## Washing mode

For a family's diverse cleaning needs, the design features multiple cleaning modes. Each mode offers different nozzle movements, water pressure levels, and spray ranges, allowing for easy switching between modes and providing a thoughtful and comfortable experience.



## Heated seat

The seat is ergonomically designed to provide a comfortable feeling. The temperature can be adjusted in multiple levels, giving you a comfortable experience of warming in winter and cool in summer.



Thea luxury  
Bidet seat only  
Model: BS36-L

Ultra-thin cover design

Size: 505\*375\*93mm

Material: pp

Rate frequency: 50hz

Voltage: 220-240v


Maximum power: 1150w

Water pressure requirement: 0.15-0.75mpa

Toilet water inlet position: bottom inlet



Toilet requirement:



Thea luxury-vega  
Extra height rimless tornado smart toilet  
Model: BS36L-TL6086A

Size: 655\*375\*870mm

Rate frequency: 50hz

Voltage: 220-240v

Water inlet: bottom inlet only

Maximum power: 1150w

Waterproofing grade: IPX4

Wels 4 star rated, 4,5/3L

Water pressure requirement: 0.15-0.75mpa

Trap type:


S-trap:100-240mm(IS33)included in the package

S-trap:50-160mm(T3103) sold separately

P-trap:180mm roughing-in



Toilet requirement:



Note: package of toilet and bidet seat

\* Functions please refer to page 31-32.



## Catania standard-luna

Rimless smart toilet

Model: BS35S-TL6002

Size: 680\*375\*840mm

Rate frequency: 50hz

Voltage: 220-240v

Water inlet: bottom inlet only

Maximum power: 1050w

Water pressure requirement: 0.15-0.75mpa

Wels 4 star rated, 4.5/3L


Waterproofing grade: IPX4

Trap type:

S-trap:100-240mm(I533)included in the package

S-trap:50-160mm(T3103)sold separately

P-trap:180mm roughing-in



Note: package of toilet and bidet seat

## Catania standard-vega

Extra height rimless tornado smart toilet

Model: BS35S-TL6086A

Size: 655\*375\*870mm

Rate frequency 50hz

Voltage: 220-240v

Water inlet: bottom inlet only

Maximum power: 1050w

Water pressure requirement: 0.15-0.75mpa

Wels 4 star rated, 4.5/3L


Waterproofing grade: IPX4

Trap type:

S-trap:100-240mm(I533)included in the package

S-trap:50-160mm(T3103) sold separately

P-trap:180mm roughing-in



Note: package of toilet and bidet seat



Catania standard-luna

\* Functions please refer to page 31-32.



Thea standard



Luna



## Thea standard-luna

### Rimless smart toilet

Model: BS36S-TL6002

Size: 680\*375\*840mm

Rate frequency: 50hz

Voltage: 220-240v

Water inlet: bottom inlet only

Maximum power: 1150w

Water pressure requirement: 0.15-0.75mpa

Wels 4 star rated, 4.5/3L

Waterproofing grade: IPX4

Trap type:

S-trap:100-240mm(IS33)included in the package

S-trap:50-160mm(T3103)sold separately

P-trap:180mm roughing-in

Toilet requirement:



Note: package of toilet and bidet seat



Tornado silent flush



Extra height

Thea standard



Vega



## Thea standard-vega

### Extra height rimless tornado smart toilet

Model: BS36S-TL6086A

Size: 655\*375\*870mm

Rate frequency: 50hz

Voltage: 220-240v

Water inlet: bottom inlet only

Maximum power: 1150w

Water pressure requirement: 0.15-0.75mpa

Wels 4 star rated, 4.5/3L

Waterproofing grade: IPX4


Trap type :

S-trap:100-240mm(IS33)included in the package

S-trap:50-160mm(T3103) sold separately

P-trap:180mm roughing-in

Toilet requirement:




Note: package of toilet and bidet seat



**Una**  
Bidet seat only  
Model: FB104

Size: 500\*370\*60 mm  
Water pressure requirement: 0.07-0.8mpa  
T-connection: 1/2\*plastic connection  
Include: toilet seat, a set of complete accessories for steady installation, tube etc.  
Material: pp


Toilet requirement:



**Vera**  
Bidet seat only  
Model: FB108

Size: 480\*370\*62 mm  
Water pressure requirement: 0.07-0.8mpa  
T-connection: 1/2\*plastic connection  
Include: toilet seat, a set of complete accessories for steady installation, tube etc.  
Material: pp

Toilet requirement:



\* Functions please refer to page 31-32.

**Smart technology within reach.**

From a user perspective, develop a series of products to meet market demands and transform a standard toilet into a smart toilet.



Twin nozzels



Side knob



Healthy water washing



|                                    |                                                                                   |                                                                                   |                                                                                   |                                                                                    |                                                                                     |                                                                                     |
|------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
| Model Image                        |  |  |  |  |  |  |
| Model                              | ST-23                                                                             | ST-21                                                                             | ST-22                                                                             | BS35S-TL6002                                                                       | BS35S-TL6086A                                                                       | BS36S-TL6002                                                                        |
| Product name                       | Autolux                                                                           | Crowford                                                                          | Sesto                                                                             | Catania standard-luna                                                              | Catania standard-vega                                                               | Thea standard-luna                                                                  |
| Anti-backflow device               | Air Gap                                                                           | Air Gap                                                                           | Air Gap                                                                           | Avb                                                                                | Avb                                                                                 | Avb                                                                                 |
| Power                              | Concealed hard wire                                                               | Concealed hard wire                                                               | Concealed hard wire                                                               | Plug                                                                               | Plug                                                                                | Plug                                                                                |
| Rough in set up                    | S trap 95-115mm<br>S trap 70-90mm<br>P trap 180mm                                 | S trap 95-115mm<br>S trap 70-90mm<br>P trap 180mm                                 | P trap 200mm                                                                      | S-trap:100-240mm<br>s-trap:50-160mm<br>p-trap:180mm                                | S-trap:100-240mm<br>s-trap:50-160mm<br>p-trap:180mm                                 | S-trap:100-240mm<br>s-trap:50-160mm<br>p-trap:180mm                                 |
| Cistern                            | In-wall                                                                           | In-wall                                                                           | In-wall                                                                           | Standard cistern                                                                   | Standard cistern                                                                    | Standard cistern                                                                    |
| Auto cover open/close              | ●                                                                                 | N/A                                                                               | N/A                                                                               | N/A                                                                                | N/A                                                                                 | N/A                                                                                 |
| Foot sensor control                | ●                                                                                 | N/A                                                                               | N/A                                                                               | N/A                                                                                | N/A                                                                                 | N/A                                                                                 |
| Remote cover open/close            | ●                                                                                 | N/A                                                                               | N/A                                                                               | N/A                                                                                | N/A                                                                                 | N/A                                                                                 |
| Dual memory setting                | ●                                                                                 | N/A                                                                               | N/A                                                                               | N/A                                                                                | N/A                                                                                 | N/A                                                                                 |
| Uv sterilization                   | ●                                                                                 | N/A                                                                               | N/A                                                                               | N/A                                                                                | N/A                                                                                 | N/A                                                                                 |
| Seat/nozzle anti bacterial materia | ●                                                                                 | ●                                                                                 | ●                                                                                 | ●                                                                                  | ●                                                                                   | ●                                                                                   |
| Descaling function                 | ●                                                                                 | N/A                                                                               | N/A                                                                               | N/A                                                                                | N/A                                                                                 | N/A                                                                                 |
| Micro-bubble cleaning              | ●                                                                                 | N/A                                                                               | N/A                                                                               | N/A                                                                                | N/A                                                                                 | N/A                                                                                 |
| Heated seat                        | ●                                                                                 | ●                                                                                 | ●                                                                                 | ●                                                                                  | ●                                                                                   | ●                                                                                   |
| Dryer                              | ●                                                                                 | ●                                                                                 | ●                                                                                 | ●                                                                                  | ●                                                                                   | ●                                                                                   |
| Water, seat, dryer temperature     | ●                                                                                 | ●                                                                                 | ●                                                                                 | ●                                                                                  | ●                                                                                   | ●                                                                                   |
| Water&dryer pressure               | ●                                                                                 | ●                                                                                 | ●                                                                                 | ●                                                                                  | ●                                                                                   | ●                                                                                   |
| Rear wash& feminine wash           | ●                                                                                 | ●                                                                                 | ●                                                                                 | ●                                                                                  | ●                                                                                   | ●                                                                                   |
| Massage wash                       | ●                                                                                 | ●                                                                                 | ●                                                                                 | ●                                                                                  | ●                                                                                   | ●                                                                                   |
| Self cleaning nozzle               | ●                                                                                 | ●                                                                                 | ●                                                                                 | ●                                                                                  | ●                                                                                   | ●                                                                                   |
| Deodoriser                         | ●                                                                                 | ●                                                                                 | ●                                                                                 | N/A                                                                                | N/A                                                                                 | N/A                                                                                 |
| Auto flush                         | ●                                                                                 | ●                                                                                 | ●                                                                                 | N/A                                                                                | N/A                                                                                 | N/A                                                                                 |
| Soft close seat/cover              | ●                                                                                 | ●                                                                                 | ●                                                                                 | ●                                                                                  | ●                                                                                   | ●                                                                                   |
| Energy saving                      | ●                                                                                 | ●                                                                                 | ●                                                                                 | ●                                                                                  | ●                                                                                   | ●                                                                                   |
| Remote control                     | ●                                                                                 | ●                                                                                 | ●                                                                                 | ●                                                                                  | ●                                                                                   | ●                                                                                   |
| Options of flush plate colours     | ●                                                                                 | ●                                                                                 | ●                                                                                 | N/A                                                                                | N/A                                                                                 | N/A                                                                                 |
| Night light                        | ●                                                                                 | ●                                                                                 | ●                                                                                 | ●                                                                                  | ●                                                                                   | ●                                                                                   |

|                                    |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |
|------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
| Model Image                        |  |  |  |  |  |  |  |
| Model                              | BS36S-TL6086A                                                                       | BS36L-TL6086A                                                                       | BS35-S                                                                              | BS36-S                                                                              | BS36-L                                                                              | FB104                                                                               | FB108                                                                               |
| Product name                       | Thea standard-vega                                                                  | Thea luxury-vega                                                                    | Catania standard                                                                    | Thea standard                                                                       | Thea luxury                                                                         | Una                                                                                 | Vera                                                                                |
| Anti-backflow device               | Avb                                                                                 | Avb                                                                                 | Avb                                                                                 | Avb                                                                                 | Avb                                                                                 | Avb                                                                                 | Avb                                                                                 |
| Power                              | Plug                                                                                | Plug                                                                                | Plug                                                                                | Plug                                                                                | Plug                                                                                | N/a                                                                                 | N/a                                                                                 |
| Rough in set up                    | S-trap:100-240mm<br>s-trap:50-160mm<br>p-trap:180mm                                 | S-trap:100-240mm<br>s-trap:50-160mm<br>p-trap:180mm                                 | N/A                                                                                 | N/A                                                                                 | N/A                                                                                 | N/A                                                                                 | N/A                                                                                 |
| Cistern                            | Standard cistern                                                                    | Standard cistern                                                                    | N/A                                                                                 | N/A                                                                                 | N/A                                                                                 | N/A                                                                                 | N/A                                                                                 |
| Auto cover open/close              | N/A                                                                                 | ●                                                                                   | N/A                                                                                 | N/A                                                                                 | ●                                                                                   | N/A                                                                                 | N/A                                                                                 |
| Foot sensor control                | N/A                                                                                 | N/A                                                                                 | N/A                                                                                 | N/A                                                                                 | N/A                                                                                 | N/A                                                                                 | N/A                                                                                 |
| Remote cover open/close            | N/A                                                                                 | ●                                                                                   | N/A                                                                                 | N/A                                                                                 | ●                                                                                   | N/A                                                                                 | N/A                                                                                 |
| Dual memory setting                | N/A                                                                                 | N/A                                                                                 | N/A                                                                                 | N/A                                                                                 | N/A                                                                                 | N/A                                                                                 | N/A                                                                                 |
| Uv sterilization                   | N/A                                                                                 | N/A                                                                                 | N/A                                                                                 | N/A                                                                                 | N/A                                                                                 | N/A                                                                                 | N/A                                                                                 |
| Seat/nozzle anti bacterial materia | ●                                                                                   | ●                                                                                   | ●                                                                                   | ●                                                                                   | ●                                                                                   | N/A                                                                                 | N/A                                                                                 |
| Descaling function                 | N/A                                                                                 | N/A                                                                                 | N/A                                                                                 | N/A                                                                                 | N/A                                                                                 | N/A                                                                                 | N/A                                                                                 |
| Micro-bubble cleaning              | N/A                                                                                 | N/A                                                                                 | N/A                                                                                 | N/A                                                                                 | N/A                                                                                 | N/A                                                                                 | N/A                                                                                 |
| Heated seat                        | ●                                                                                   | ●                                                                                   | ●                                                                                   | ●                                                                                   | ●                                                                                   | N/A                                                                                 | N/A                                                                                 |
| Dryer                              | ●                                                                                   | ●                                                                                   | ●                                                                                   | ●                                                                                   | ●                                                                                   | N/A                                                                                 | N/A                                                                                 |
| Water, seat, dryer temperature     | ●                                                                                   | ●                                                                                   | ●                                                                                   | ●                                                                                   | ●                                                                                   | N/A                                                                                 | N/A                                                                                 |
| Water&dryer pressure               | ●                                                                                   | ●                                                                                   | ●                                                                                   | ●                                                                                   | ●                                                                                   | Water pressure                                                                      | Water pressure                                                                      |
| Rear wash& feminine wash           | ●                                                                                   | ●                                                                                   | ●                                                                                   | ●                                                                                   | ●                                                                                   | ●                                                                                   | ●                                                                                   |
| Massage wash                       | ●                                                                                   | ●                                                                                   | ●                                                                                   | ●                                                                                   | ●                                                                                   | N/A                                                                                 | N/A                                                                                 |
| Self cleaning nozzle               | ●                                                                                   | ●                                                                                   | ●                                                                                   | ●                                                                                   | ●                                                                                   | ●                                                                                   | ●                                                                                   |
| Deodoriser                         | N/A                                                                                 | N/A                                                                                 | N/A                                                                                 | N/A                                                                                 | N/A                                                                                 | N/A                                                                                 | N/A                                                                                 |
| Auto flush                         | N/A                                                                                 | N/A                                                                                 | N/A                                                                                 | N/A                                                                                 | N/A                                                                                 | N/A                                                                                 | N/A                                                                                 |
| Soft close seat/cover              | ●                                                                                   | ●                                                                                   | ●                                                                                   | ●                                                                                   | ●                                                                                   | ●                                                                                   | ●                                                                                   |
| Energy saving                      | ●                                                                                   | ●                                                                                   | ●                                                                                   | ●                                                                                   | ●                                                                                   | ●                                                                                   | ●                                                                                   |
| Remote control                     | ●                                                                                   | ●                                                                                   | ●                                                                                   | ●                                                                                   | ●                                                                                   | N/A                                                                                 | N/A                                                                                 |
| Options of flush plate colours     | N/A                                                                                 | N/A                                                                                 | N/A                                                                                 | N/A                                                                                 | N/A                                                                                 | N/A                                                                                 | N/A                                                                                 |
| Night light                        | ●                                                                                   | ●                                                                                   | ●                                                                                   | ●                                                                                   | ●                                                                                   | N/A                                                                                 | N/A                                                                                 |

# Warranty

LAFEME is made to the highest industry standards and quality, referring to table below for warranty periods.



**Smart toilets & Bidet Seats**

- 24 months replacement product or parts & labour
- In wall cistem 10 years
- Inlet and outlet valves 2 years

**Commercial use**

- 12 months replacement product or parts & labour

**Conditions:**

- 1. Installation is made by a LICENSED tradesman.
- 2. Failure derives from a fault in the quality of the product.
- 3. Proof of purchase should be provided when making a claim.
- 4. The product should be installed properly.
- 5. This warranty does not cover scratching or normal wear and tear, as these are not manufacturing faults.

To fullest extent under the law, LAFEME is not liable for damage to any person or property and any indirect consequence or other loss, LAFEME liability does not include the cost of installation or removal of any product and no warranty will be supplied if damage occurs during or after INSTALLATION or a damaged or incorrect part has been installed. The warranty does not cover the issue by improper installation, accidents, misuse, abuse and negligence, installation or part installation by the purchaser or any person other than a LICENCED TRADESPERSON. Must avoid contact with hard sharp objects due to the nature of material, it can be SCRATCHED with normal day to day use this is not covered by warranty.